

10

**Office of the PCDA (BR), Seema Sadak Bhawan,
Ring Road, Naraina, Delhi cantt.-110010**

File No. AT/BR/177/Circular

Dated: 19/11/2014

To,

- 1 The CDA (BR) Guwahati
- 2 The Jt. CDA Chandigarh
- 3 The PAO, GREF Pune

Subject: - Amendment to Defence Procurement Procedure (DPP)-2013.

A copy of Govt. of India, Ministry of Defence ID No. 1(6)/D 9Acq/ 13 dated 19/09/2014 on the above subject received under HQrs office letter no. AT/IX/C/Procurement Manual, 2013 dated .10.2014 is forwarded herewith for information, guidance and necessary action please.

It is further advised that the contents of the circular may please be disseminated to all the sub-offices under your jurisdiction for their necessary action please.

Please acknowledge receipt.

Encls: As above.

Sd
Accounts officer (Audit)

Copy to:-

01. The CGDA (AT-III)
Ulan Batar Road, Palam
Delhi Cantt-10
02. The officer-in-charge
EDP Section (Local)
03. The officer-in-charge
O&M Cell (Local)
04. The officer-in-charge
AN-I Section (Local)

For information please.

For uploading on website of PCDA.

For information please.

5 The o/c
Library (Local)

:- For pasting of correction
in DPP-2013

[Signature]
Accounts officer (Audit)

AN AT 200010
11-11-14

204
14/11

रक्षा लेखा महानियंत्रक, उलान बटार रोड, पालम, दिल्ली कैंट 110010-
O/o the CGDA, Ulan Batar Road, Palam, Delhi Cantt-110010

No.: AT/IX/C/Procurement Manual,2013

Date: /10/2014

To

(BR) All PCsDA/PCA(Fys.)/CsDA/

Delhi Cant

(Through CGDA Mail Server)

Sub: Amendment to Defence Procurement Procedure (DPP)-2013


A copy of MoD ID No.1(6)/D(Acq)/13 dated 19/09/2014 on the above subject is forwarded herewith for information and necessary action at your end, please.

Encl: As above .


(A.N DAS)
Jt.CGDA (AT-III)

Copy to:

1. All Audit Sections/IFA Section ----- for information & necessary action.
(Local)
2. EDP Section ----- with a request to upload on CGDA website.
(Local)


(A.N DAS)
Jt.CGDA (AT-III)

P/14

MINISTRY OF DEFENCE
(Acquisition Wing Sectt.)

Subject: Amendments to Defence Procurement Procedure (DPP)-2013.

The following existing paras of DPP-2013 are amended to the extent indicated below:-

Para No.	Page No./ Document	For	Read
1.7	Page-113 Appendix G to Schedule-I of Chapter-I	The Price Bid Format is given below and Bidders are required to fill this correctly with full details. No column of the Bid format should be left blank. If any column is not applicable and intentionally left blank, the reason for the same has to be clearly indicated.	The Price Bid Format is given below and Bidders are required to fill up this correctly with full details. No column of the Bid format has to be left blank. The clubbing of serials/sub serials to indicate a consolidated cost is not acceptable. The columns of 'quantity', 'unit cost' and 'total cost' are to be filled up with positive numerical values or 'Nil' at every row as applicable. If any column is not applicable and intentionally left blank, the reason for the same has to be clearly indicated in the remarks column.
3	Page-244 Enclosure-7 of Schedule to Chapter-III (Defence Ship Building)	The Price Bid Format is given below and Bidders are required to fill up this correctly with full details. No column of the Bid format has to be left blank. If any column is not applicable and intentionally left blank, the reason for the same has to be clearly indicated.	The Price Bid Format is given below and Bidders are required to fill up this correctly with full details. No column of the Bid format has to be left blank. The clubbing of serials/sub serials to indicate a consolidated cost is not acceptable. The columns of 'quantity', 'unit cost' and 'total cost' are to be filled up with positive numerical values or 'Nil' at every row as applicable. If any column is not applicable and intentionally left blank, the reason for the same has to be clearly indicated in the remarks column.



Contd.....

8(b)	Page-213 Enclosure 4 of Model RFP Format of Chapter-III	“The MRL-OBS has to be recommended based on the likely consumption rate of the spares and on the exploitation pattern of the equipment.....Bidder quoting lesser MRL-OBS in terms of range and depth will have to make good deficiency within _____ days of intimation by the buyer to render equipment operational. Buyer would also..... negotiated in the contract.”	“The MRL-OBS has to be recommended based on the likely consumption rate of the spares and on the exploitation pattern of the equipment.....Bidder quoting lesser MRL-OBS in terms of range and depth as well as quantity will have to make good deficiency at their cost without any financial responsibility or liability to the Buyer within _____ days of intimation by the buyer to render equipment operational. Buyer would also..... negotiated in the contract.”
------	---------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

2. The above amendments have been approved for inclusion in the DPP-2013 and shall come into force with immediate effect. All concerned authorities may kindly note for information and compliance.


(Praveen Kumar)
Director (Acq)
Telefax: 2379 2865

To

CISC VCOAS VCNS VCAS DGCG

All Joint Secretaries/Additional FAs /Finance Managers/Technical Managers/ DGWE/
ACAS(Plans)/ACNS(P&P)/Directors/Deputy Secretaries.

Copy for information to:

PS to RM, PS to RRM, SO to Defence Secretary;

PPS to Secretary(DP), SO to SA to RM, PPS to FA(DS), PA to DG(Acq), PPS to AS(R), PPS to AS(DP), PPS to FA(Acq) & AS, CGDA, Principal IFAs

MoD ID No.1(6)/D(Acq)/13 dated 19.09.2014

Copy also to:

Director (NIC), Room No. 305-B, Sena Bhavan- with request to upload this ID on MoD website immediately for information of all concerned under intimation to this Secretariat.